

# SAFETY DATA SHEET

Revision Date 29-Jan-2016 Creation Date 26-Sep-2009 **Revision Number 2** 

1. Identification

**Product Name** 1-Pentanol

AC160600000; AC160600010; AC160600025; AC160600250; Cat No.:

AC160600251

**Synonyms** Pentyl alcohol; n-Amyl alcohol

**Recommended Use** Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

**Entity / Business Name Emergency Telephone Number** Company

Acros Organics For information US call: 001-800-ACROS-01

One Reagent Lane / Europe call: +32 14 57 52 11

Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Emergency Number **US:**001-201-796-7100 / Tel: (201) 796-7100

Europe: +32 14 57 52 99

CHEMTREC Tel. No.US:001-800-424-9300 /

Europe:001-703-527-3887

# 2. Hazard(s) identification

### Classification

Fisher Scientific

One Reagent Lane

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 3 Acute Inhalation Toxicity - Vapors Category 4 Skin Corrosion/irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system. Target Organs - Liver, Kidney.

**Label Elements** 

# Signal Word

Warning

#### **Hazard Statements**

Flammable liquid and vapor Causes skin irritation Causes serious eve irritation Harmful if inhaled May cause respiratory irritation



### **Precautionary Statements**

#### Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

# Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

# Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None identified

### Other hazards

Stench.

# 3. Composition / information on ingredients

Component	CAS-No	Weight %	
1-Pentanol	71-41-0	>95	

### 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms/effects None reasonably foreseeable. Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed

containers exposed to fire with water spray.

Unsuitable Extinguishing Media No information available

Flash Point 49 °C / 120.2 °F Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

300 °C / 572 °F

**Upper** 10.5 Vol% **Lower** 1.3 Vol%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Flammable. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO2)

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards		
2	2	1	N/A		

#### Accidental release measures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Remove all sources of

ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Should not be released into the environment.

**Methods for Containment and Clean** Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. **Up**Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

	7. Handling and storage
Handling	Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

**Storage**Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat and sources of ignition. Flammables area.

# 8. Exposure controls / personal protection

Revision Date 29-Jan-2016 1-Pentanol

**Exposure Guidelines** This product does not contain any known or suspected reproductive hazards

Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations **Engineering Measures** 

and safety showers are close to the workstation location. Ensure adequate ventilation,

especially in confined areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Long sleeved clothing. Skin and body protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection** 

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

# 9. Physical and chemical properties

**Physical State** Liquid Colorless **Appearance** Odor Stench

No information available **Odor Threshold** 

рΗ 7 25 g/l water **Melting Point/Range** -78 °C / -108.4 °F

137 - 139 °C / 278.6 - 282.2 °F **Boiling Point/Range** 

49 °C / 120.2 °F **Flash Point** 

**Evaporation Rate** No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

10.5 Vol% Upper Lower 1.3 Vol% **Vapor Pressure** 2.6 mbar **Vapor Density** 3.0 (Air = 1.0)**Specific Gravity** 0.811

Solubility

22 g/L water (22°C) Partition coefficient; n-octanol/water No data available 300 °C / 572 °F **Autoignition Temperature Decomposition Temperature** No information available **Viscosity** mPa s at 20 °C

Molecular Formula C5 H12 O

**Molecular Weight** 88.15

# 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

**Stability** Hygroscopic.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition. Excess heat.

Incompatible products. Exposure to moist air or water.

**Incompatible Materials** Strong oxidizing agents, Metals

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization**No information available.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

### **Product Information**

**Component Information** 

Component LD50 Oral		LD50 Dermal	LC50 Inhalation	
1-Pentanol	>2000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	Not listed	

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
1-Pentanol	71-41-0	Not listed				

Mutagenic Effects No information available

**Reproductive Effects**No information available.

**Developmental Effects**No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure Liver Kidney

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
1-Pentanol		LC50: 370 - 490 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 650 mg/L, 96h static (Lepomis macrochirus)		EC50: = 341 mg/L, 48h (Daphnia magna)
		LC50: = 530 mg/L, 96h static (Brachydanio rerio) LC50: 437 - 511 mg/L, 96h flow-through (Pimephales promelas)		

**Persistence and Degradability** 

Soluble in water Persistence is unlikely based on information available.

#### **Bioaccumulation/ Accumulation**

No information available.

**Mobility** 

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
1-Pentanol	1.4

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN1105
Proper Shipping Name PENTANOLS

Hazard Class 3 Packing Group III

**TDG** 

UN-No UN1105
Proper Shipping Name PENTANOLS

Hazard Class 3
Packing Group III

IATA

UN-No UN1105
Proper Shipping Name PENTANOLS

Hazard Class 3
Packing Group III

IMDG/IMO

UN-No UN1105 Proper Shipping Name PENTANOLS

Hazard Class 3
Packing Group III

# 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

#### **International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
1-Pentanol	Х	Χ	-	200-752-1	-		Χ	Χ	Χ	Χ	Χ

### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

**TSCA 12(b)** 

SARA 313 Not applicable

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA

Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
1-Pentanol	X	-	X	-	X	

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

## Other International Regulations

Mexico - Grade No information available

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

B3 Combustible liquid
D1B Toxic materials

D2B Toxic materials



# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 26-Sep-2009

 Revision Date
 29-Jan-2016

 Print Date
 29-Jan-2016

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**