

### May be used to comply with OSHA's Hazard Communication Standard

## HMIS SYMBOL HEALTH 0 2

FLAMMABILITY

REACTIVITY

HMIS

4

3

2

1

0

SEVERE

SERIOUS

SLIGHT

MINIMAL

MODERATE

0

**NFPA** EXTREME

MODERATE

INSIGNIFICANT

HIGH

SLIGHT

# NFPA SYMBOL

2 FIRE тохісі SPECIA

### **MARC 264 SQUEAKY CLEAN Product:**

Company	Mid-American R	esearch Chemical Corp.	Telephone No. (402)564-7104	Fax No. Formula	(402)563-1290 Trade Secret
Address	P O Box 927	Columbus NE 68602-0927	Date 03/28/06		
InfoTrac 24	Hour Emergency No	. 1-800-535-5053			
Secti	on II -	HAZARDOUS INGREI	DIENTS/IDENTITY INFO	RMATION	
Hazardous Component			CAS Number	Exposure TLV (Units)	%(Optiona
Isopropanol (Isopropyl Alcohol)			67-63-0	400 ppm	
Ethoxylated Nonylphenol			9016-45-9	N/D	

### Section III -**PHYSICAL/CHEMICAL CHARACTERISTICS**

Boiling Point (° F.)	200	Specific Gravity (H <sub>2</sub> O=1)	0.98
Vapor Pressure (mm Hg)	N/D	Melting Point ( ° F.)	N/A
Vapor Density (Air=1)	N/D	Evaporation Rate (Butyl Acetate=1)	Over 1

Solubility in Water

Complete

Appearance and Odor

Orange liquid. Alcohol odor.

# FIRE AND EXPLOSION HAZARD DATA

(<sup>o</sup> F.) (Method Used) Flash Point

100° F. (TCC)

Section IV -

Extinguishing Media

Water fog, foam, dry chemical, carbon dioxide.

Special Fire Fighting Procedures

Cool exposed containers with water.

Unusual Fire and Explosion Hazards

Closed containers may rupture; water is ineffective.

N/A = Not Applicable

N/D = Not Determined

(Continued on Reverse Side)

Stability	MARC 264 SQUEAKY CLEAN				Mada: 🖬		
Stability	V -		REACTIVITY D	ΑΤΑ			
,	Unstable		Conditions to Avoid				
	Stable	Χ	<u> </u>	P			
ncompatibility (Mate			Strong oxi				
Hazardous Decompo	May Occur		Conditions to Avoid	lides			
Hazardous Polymerization	Will Not Occur	X					
Section	VI -		HEALTH HAZA	RD DATA			
Route(s) of Entry:		Inha	lation X	Skin	×	Ingestion	
lealth Hazards (Acu	ite & Chronic)						
Irritation to system.	o eyes and s	skin.	Harmful if swallov	wed. Aspiration may ca	iuse lung c	damage. May affect central nervou	
Carcinogenicity:		NTP		IARC Monographs		OSHA Regulated	
Signs and Symptoms							
Irritation, o	dizziness, hea						
	,	ed by Ex	kposure				
Dermatitis mergency and First							
		ish th	noroughly with wa	iter for 15 minutes Ge	et medical	attention. Skin: Immediately flus	
thoroughly	/ with water.	. Ge		on if irritation persists.		: Do not induce vomiting. Call	
Section	VII -		PRECAUTION	S FOR SAFE HANDI	_ING ANI	DUSE	
Steps to be Taken in	Case Material is R	eleased	d or Spilled				
Soak up o	n absorbent	mate	rial, or flush area v	with water. Keep away f	rom ignitio	n source.	
Vaste Disposal Meth							
			ent regulations.				
Precautions to be Ta				TAKE INTERNALLY.			
Do NOT u	ise or store n	ear h	eat, sparks, or ope	en flames. Avoid vapors	s, eye and s	skin contact.	
Other Precautions	KEEP OUT	OF R	EACH OF CHILD	REN!! CAREFULLY RE	EAD ENTIF	RE LABEL BEFORE USE!	
Section	VIII -		CONTROL ME	ASURES			
Respiratory Protectio							
	adequate ven	tilatio	on.				
	Local Exhaust	ľ	Х	Mechanical	(General)		
Use with a					,		
Use with a			Dubbar	Eye Protection:			
Use with a /entilation Other						Conaloo	
Use with a Ventilation Other Protective Gloves:			Rubber	Eye Flotection.		Goggles	
			Kubbei	Eye Flotection.		Goggles	
Use with a Ventilation Other Protective Gloves:	thing or Equipment		Kubbei	Eye Flotection.		Goggles	

Mid-American Research Chemical Corp.

VITY

# |)