

SAFETY DATA SHEET



1. Product and Company Identification

	1. Product and Company le	dentification	
Product identifier	Sani-Hands Instant Hand Sanitizing W	/ipes SDS 0098-00	
Other means of identification	•		
Recommended use	Antiseptic		
Recommended restrictions	None known.		
Manufacturer	Professional Disposables International,Ir Two Nice-Pak Park,Orangeburg,NY 109 or Distributed By: Professional Disposables International, L Vaughan, Ontario L4L 4K9 Canada Phone: (USA) 1-845-365-1700 (M-F 9an Phone: (CANADA) 1-800-263-7067 Emergency Phone: 1-800-999-6423	62-1376 _TD	
	2. Hazards Identific	ation	
Physical hazards	Flammable solids	Category 1	
Health hazards	Serious eye damage/eye irritation	Category 2A	
Environmental hazards	Not determined		
OSHA defined hazards	None additional		
Label elements			
Signal word	Danger		
Hazard statement	Flammable solid. Causes serious eye irritation.		
Precautionary statement			
Prevention	Keep away from fire or flame. Keep container closed.		
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. In case of fire: Use appropriate media to extinguish.		
Storage	Store in a well-ventilated place. Keep container closed.		
Disposal	Dispose of contents/container in accorda	ance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	Not applicable.		
	3. Composition/Information	on Ingredients	
Mixture			
Chemical name	Common name and synony	ms CAS number %	

 Chemical name
 Common name and synonyms
 CAS number
 %

 Alcohol
 64-17-5
 40 - 70

 Propylene glycol
 57-55-6
 1 - 5

 Composition comments
 The exact % concentration of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA HCS 1910.1200. All concentrations are expressed as % weight.

 Linhalation
 If inhaled for a prolonged period of time, remove person to fresh air and keep comfortable for

breathing.

Discontinue use if irritation and redness develop. If condition persists for more than 72 hours, consult a physician.		
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
If swallowed, get medical help or contact a Poison Control Center immediately.		
Symptoms may include stinging, tearing, redness, swelling of the eyes, and blurred vision.		
Direct contact with eyes may cause temporary irritation. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.		
Treat patient symptomatically.		
If you feel unwell, seek medical advice (show the label where possible). Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes. Keep away from sources of ignition. No smoking. Keep out of reach of children.		
5. Fire Fighting Measures		
Dry chemical. Carbon dioxide. Foam.		
Do not use water jet.		
During fire, gases hazardous to health may be formed. Firefighters should wear a self-contained breathing apparatus.		
Firefighters should wear full protective clothing including self contained breathing apparatus. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
In case of fire and/or explosion do not breathe fumes.		
In the event of fire, cool tanks with water spray. Move containers from fire area if you can do so without risk.		
Use standard firefighting procedures and consider the hazards of other involved materials.		
Flammable solid.		
May include and are not limited to: Oxides of carbon.		
Not available.		
Not available.		
6. Accidental Release Measures		
Wear appropriate protective equipment and clothing during clean-up. Avoid contact with eyes. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.		
Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).		
Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering waterways. Contact emergency services and supplier for advice.		
Large Spills: Following product recovery, flush area with water. Wipe or mop up liquid, if any, and dispose properly.		
Do not discharge into waterways.		
7. Handling and Storage		
WARNING Flammable, keep away from fire or flame. Do not use in contact with eyes. For external use only.		
Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid prolonged exposure. Keep container closed.		

Store in a cool, dry place out of direct sunlight. Store in a closed container away from incompatible materials. Store in a well-ventilated place. Keep away from heat, open flames or other sources of ignition. Store away from incompatible materials (see Section 10 of the SDS). Keep this out of reach of children unless under adult supervision.

8. Exposure Controls/Personal Protection

Components	Туре	Value	
Alcohol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	
Alcohol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Alcohol (CAS 64-17-5)	TWA	1900 mg/m3	
		1000 ppm	
US. AIHA Workplace Envi	ronmental Exposure Level (WEEL) Guide	es	
Components	Туре	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.
ological limit values	No biological exposure limits noted for	the ingredient(s).	
cposure guidelines	See above		
opropriate engineering ontrols	General ventilation normally adequate.	Provide eyewash station.	
dividual protection measure	s, such as personal protective equipme	nt	
Eye/face protection	Wear gear as deemed necessary. Foll	ow label directions.	
Skin protection			
Hand protection	Not required.		
Other	As required by employer code. Follow label directions carefully.		
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear positive pressure self-contained breathing apparatus (SCBA).		
Thermal hazards	Not applicable.		
eneral hygiene onsiderations	Handle in accordance with good indust	rial hygiene and safety practi	ice. When using do not smo

9. Physical and Chemical Properties

Appearance	Liquid saturated on wipe
Physical state	Solid.
Form	Liquid saturated on wipe
Color	Colorless
Odor	Alcohol
Odor threshold	Not available.
рН	7.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	0.883 (Liquid)
Partition coefficient (n-octanol/water)	Not available.

Flash point	71.6 °F (22.0 °C) Tag Closed Cup	(Liquid)	
Evaporation rate	Not available.		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or exp	losive limits		
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not available.		
/apor density	Not available.		
Relative density	Not available.		
Solubility(ies)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
/iscosity	Not available.		
Other information			
Flash point class	Combustible II		
	10. Stability and	Reactivity	
Reactivity	This product may react with strong	oxidizing agents.	
Possibility of hazardous reactions	Hazardous polymerization does no	t occur.	
Chemical stability	Stable under recommended storag	e conditions.	
Conditions to avoid	Do not mix with other chemicals.		
	Avoid heat, sparks, open flames ar	-	
ncompatible materials	Strong oxidizing agents. Oxidizers.		
Hazardous decomposition products	May include and are not limited to:	Oxides of carbon.	
	11. Toxicological	Information	
Routes of exposure	Inhalation. Ingestion. Skin contact.	Eye contact.	
nformation on likely routes of e	exposure		
Ingestion	Expected to be a low ingestion hazard.		
Inhalation	Prolonged inhalation may be harmful. May cause irritation to the respiratory system. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.		
Skin contact	Non-irritating based on test data.		
Eye contact	May be irritating to eyes.		
Symptoms related to the physical, chemical and toxicological characteristics		aring, redness, swelling of the eyes, and blurred vision. e headache, dizziness, tiredness, nausea and vomiting.	
nformation on toxicological effe	ects		
Acute toxicity	Narcotic effects. May cause respira	atory irritation.	
	Toxicity data in this section is base finished product.	d on individual component information and not based on the	
	Species	Test Results	
Components			
-			
-			
Alcohol (CAS 64-17-5) Acute Dermal			
Alcohol (CAS 64-17-5) Acute	Not available		
Alcohol (CAS 64-17-5) Acute Dermal LD50 Inhalation	Not available		
Alcohol (CAS 64-17-5) Acute Dermal LD50	Not available Mouse	39 mg/l, 4 Hours	
Dermal LD50 Inhalation		39 mg/l, 4 Hours 31623 ppm, 4 Hours	

	•			
Oral				
LD50	Dog	5500 mg/kg		
	Guinea pig	5600 mg/kg		
	Mouse	3450 mg/kg		
	Rat	7060 mg/kg		
Propylene glycol (CAS 57-55-6)				
Acute				
Dermal		22222 //		
LD50	Rabbit	20800 mg/kg		
Inhalation LC50	Not available			
<i>Oral</i> LD50	Dog	19000 mg/kg		
	Guinea pig	184000 mg/kg		
	Mouse			
		23900 mg/kg		
	Rabbit	14800 mg/kg		
	Rat	20000 mg/kg		
Skin corrosion/irritation	Non-irritating based on test data.			
Exposure minutes	Not available.			
Erythema value	Not available.			
Oedema value	Not available.			
Serious eye damage/eye rritation	May cause irritation.			
Corneal opacity value	Not available.			
Iris lesion value	Not available.			
Conjunctival reddening value	Not available.			
Conjunctival oedema value	e Not available.			
Recover days	Not available.			
Respiratory or skin sensitization	1			
Respiratory sensitization	Not classified.			
Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	The finished product is not expected to have chronic health effects.			
Mutagenicity	The finished product is not expected to			
Carcinogenicity	The finished product is not expected to have chronic health effects.			
Reproductive toxicity	The finished product is not expected to			
Feratogenicity	The finished product is not expected to have chronic health effects.			
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - epeated exposure	Not classified.			
Aspiration hazard	Not classified.			
Chronic effects	The finished product is not expected to	o have chronic health effects.		
Further information	Not available.			
Name of Toxicologically Synergistic Products	Not available.			

Ecotoxicity	See below	V	
Components		Species	Test Results
Alcohol (CAS 64-17-5)			
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours

Components		Species	Test Results
Aquatic	5050	Water flag (Danhaia magna)	77.44.0 mm/ 40 hours
Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
Propylene glycol (CAS 57-55			
Crustacea	EC50	Daphnia	10000 mg/L, 48 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/l, 96 hours
Persistence and degradability	No data is av	ailable on the degradability of this product.	
Bioaccumulative potential	No data avail	able.	
Mobility in soil	No data avail	able.	
Mobility in general	Not available		
Other adverse effects	Not available		
		13. Disposal Considerations	
Disposal instructions		al, state/provincial, and local government re	equirements prior to disposal
		ontents/container in accordance with local/r	
Local disposal regulations	See above		
Hazardous waste code	Not assigned		
Waste from residues / unused		ners may retain some product residues. Th	
products	-	n a safe manner (see: Disposal instructions	
Contaminated packaging		ners should be taken to an approved waste d containers may retain product residue, fo	
	emptied.		
		14. Transport Information	
U.S. Department of Transporta	tion (DOT)	•	
Basic shipping requirement			
UN number	UN3175		
Proper shipping name		ning flammable liquid, n.o.s. (Alcohol)	
Hazard class	4.1		
Packing group	II AL R. M. M.		
Packaging exceptions	0	l quantity (par. 173.151) Illy wrapped packet product is exempted fro	om DOT regulation per Special Provision 47
Transportation of Dangerous C	=	anada)	
Basic shipping requiremen			
UN number Proper shipping name	UN3175	ITAINING FLAMMABLE LIQUID, N.O.S. (AI	(cobol)
Hazard class	4.1		
Packing group	П		
Packaging exceptions	<1Kg-Limited	Quantity	
DOT; TDG			
$\langle \rangle$			
\setminus /			
•			
		15. Regulatory Information	
Canadian federal regulations		has been classified in accordance with the and the SDS contains all the information red	
	regulations.		

Alcohol (CAS 64-17-5)

1 TONNES

Canada WHMIS Ingredient I	Disclosure: Threshold limits	
Alcohol (CAS 64-17-5)		0.1 %
Propylene glycol (CAS 57 WHMIS classification	Exempt - Notified cosmetic un	1 % der the Food & Drugs Act
US federal regulations	This product contains a "Haza Standard, 29 CFR 1910.1200.	rdous Chemical" as defined by the OSHA Hazard Communication
TSCA Section 12(b) Export Not regulated. CERCLA Hazardous Substa	Notification (40 CFR 707, Subp nce List (40 CFR 302.4)	vt. D)
Not listed. US CAA Section 111 Volatile	e Organic Compounds: Listed	substance
Alcohol (CAS 64-17-5) Propylene glycol (CAS 57 Clean Air Act (CAA) Section	7-55-6) a 112(r) Accidental Release Pre	Listed. Listed. evention (40 CFR 68.130)
Not regulated. Clean Air Act (CAA) Section Not regulated.	112 Hazardous Air Pollutants	(HAPs) List
Superfund Amendments and Re	authorization Act of 1986 (SAI	RA)
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No	,
SARA 302 Extremely hazardous substance	No	
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Regulated as a monograph dro	ug product.
US state regulations	See below	
US - California Hazardo	us Substances (Director's): Lis	sted substance
Alcohol (CAS 64-17- US - California Proposit		Listed. ductive Toxicity (CRT): Listed substance
Not listed. US - Illinois Chemical S	afety Act: Listed substance	
-Alcohol (CAS 64-17 US - Louisiana Spill Rej	5) oorting: Listed substance	Listed.
Alcohol (CAS 64-17- US - Minnesota Haz Sul		Listed.
Alcohol (CAS 64-17- Propylene glycol (CA US - New Jersey RTK - 3	-	Listed. Listed.
Alcohol (CAS 64-17- Propylene glycol (CA	5) S 57-55-6)	Listed. Listed.
	ening Levels: Listed substanc	
Alcohol (CAS 64-17- Propylene glycol (CA US. Massachusetts RTF	Ś 57-55-6)	Listed. Listed.
Alcohol (CAS 64-17-		Listed.
Alcohol (CAS 64-17- Propylene glycol (CA US. Rhode Island RTK	5)	Listed. Listed.
Not regulated.		

Inventory status

Country(s) or region Canada Canada

Inventory name

Domestic Substances List (DSL)

Yes

No

Yes

Non-Domestic Substances List (NDSL) erto Rico Toxic Substances Control Act (TSCA) Inventory

United States & Puerto Rico Toxic Substan

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information		
LEGEND	HEALTH / 1	
Severe4Serious3Moderate2Slight1Minimal0	FLAMMABILITY 3 PHYSICAL HAZARD 0 PERSONAL PROTECTION X	
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.	
Issue date	01-April-2015	
Effective date	01-September-2014	
Expiry date	01-September-2017	
Further information	For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the first page of the document.	
	Revision 1. Hazard categorization updated. Ingredient ranges used and revised in Section 3. Transportation information updated.	
	Based on bulk liquid # 40P72301.	
Prepared by	Dell Tech Laboratories, Ltd. Phone: (519) 858-5021	
Other information	This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.	